

**Quiz 3**  
**EMT-Basic Refresher**

1. Define the following

Dressing \_\_\_\_\_

Bandaging \_\_\_\_\_

Occlusive dressing \_\_\_\_\_

Hypoperfusion \_\_\_\_\_

Avulsion \_\_\_\_\_

Abrasion \_\_\_\_\_

Contusion \_\_\_\_\_

Laceration \_\_\_\_\_

Hematoma \_\_\_\_\_

Hematoma \_\_\_\_\_

Flail chest \_\_\_\_\_

Pneumothorax \_\_\_\_\_

Hemothorax \_\_\_\_\_

2. Please list the components of the following.

Scene size up

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Initial Assessment

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Focused Assessment

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

### Rapid Trauma Assessment

---

---

---

---

---

### Detailed Assessment

---

---

---

---

---

### On Going Assessment

---

---

---

---

---

3. Fill in the following in detail

Types of shock	Cause	Signs & Symptoms	Vital Signs	Treatment

4. Fill in the following:

S & S for Compensated Shock	S & S for Decompensated shock	S & S for Irreversible Shock

5. Please define the following

List and define the types of burn	Layers of skin that is affected	Treatment

6. Using the rule of nines for burns please fill in the following;

Adult patient

Right and Left arm \_\_\_\_\_%

Face and anterior chest \_\_\_\_\_ %

Pediatric Patient

Right and Left arm \_\_\_\_\_%

Face and anterior chest \_\_\_\_\_%